

DRIVER UTILITY SP-6205 SP-6207 SP-6208 SP-6209 V1.1

All rights reserved. Copyright 2019

Driver Revision History

2018/01/04 Added WIFI Module Driver for FANGTEC ZQ802XRN7-01

Driver version History

2013/12/27 Version: SP-6205 SP-6207 SP-6208 SP-6209 V1.0

2018/01//04 Version: SP-6205 SP-6207 SP-6208 SP-6209 V1.1

=====
=====

1. Click on the self-extracting and self-installing setup file and answer all prompts presented.
2. You will be prompted to reboot when installation is complete.
- 3.The sequence of setup is Mainchip --> VGA --> LAN --> SOUND

=====
=====

DRIVER CD CONTENT

=====
=====

DRIVER\---+--->\Flash BIOS\AFU.bat

|
|

+--->\Platform\XP (32-bit)\Main Chip\infinst_autol.exe (Intel Chipset Software Installation Utility only for windows OS)

+--->\Platform\Win7(32-bit)\Main Chip\infinst_autol.exe (Intel Chipset Software Installation Utility only for windows OS)

+--->\Platform\Win7(64-bit)\Main Chip\infinst_autol.exe (Intel Chipset

Software Installation Utility only for windows OS)

```
|
|
+---->\Platform\XP (32-bit)\Graphics\Setup.exe (WINXP 32bit DRIVER)
+---->\Platform\Win7(32-bit)\Graphics\Setup.exe (WIN7 32bit
DRIVER)
+---->\Platform\Win7(64-bit)\Graphics\Setup.exe (WIN7 64bit
DRIVER)
|
|
+---->\Platform\XP (32-bit)\LAN\Intel\setup.exe (WINXP 32bit DRIVER)
+---->\Platform\Win7(32-bit)\LAN\Intel\Setup.exe (WIN7 32bit DRIVER)
+---->\Platform\Win7(64-bit)\LAN\Intel\Setup.exe (WIN7 64bit DRIVER)
|
|
+---->\Platform\XP (32-bit)\Audio\WDM_R270.exe (WINXP
32bit DRIVER)
+---->\Platform\Win7(32-bit)\Audio\Vista_Win7_R267.exe (WIN7 32bit
DRIVER)
+---->\Platform\Win7(64-bit)\Audio\Vista_Win7_R270.exe (WIN7 64bit
DRIVER)
|
|
+---->\Platform\XP (32-bit)\ME8_5M_8.0.10.1464\Setup.exe (WINXP
32bit DRIVER)
+---->\Platform\Win7(32-bit)\ME8_5M_8.0.10.1464\Setup.exe (WIN7
32bit DRIVER)
+---->\Platform\Win7(64-bit)\ME8_5M_8.0.10.1464\Setup.exe (WIN7
64bit DRIVER)
|
|
+---->\Platform\Win7(32-bit)\USB3.0\Setup.exe (WIN7 32bit DRIVER)
+---->\Platform\Win7(64-bit)\USB3.0\Setup.exe (WIN7 64bit DRIVER)
|
|
+---->\Device\Embedded Wireless\ZQ802XRN7-01\Win7_Win8_Win10(32-64
bit)\Setup.exe
```

=====
=====

1. System BIOS Update

Users of AMI BIOS can use the program "AFU.bat" contained in CD-ROM for BIOS update.

- a. This is found in CD:\Flash\AFU.bat

BIOS FLASH SETUP:

- a. Prepare a bootable flash drive and include DOS files: AFUDOS.EXE,AFU.BAT and "BIOS ROM file

(ex.3252XXXX.ROM)" (*the flash drive need 2MB free space.)

- b. Use flash drive to boot, then type "AFU 3252XXXX.ROM" and press enter to automatically flash BIOS.

(ex. C:\>afu 32520P01.ROM <enter>)

- 2. The system has LAN function (Realtek RTL8111DL) that can support various network adapters. The content of the LAN driver is found as follows:

- a. Windows XP_POS Ready2009 /Windows 7_32_64bit

- 3. The Realtek ALC888 HD Audio codec sound function enhanced in this system fully compatible with

Windows XP, Windows Vista you will find the content of the Sound driver.

- a. Windows XP_POS Ready2009 /Windows 7_32_64bit

- 4. The UTILITY directory is contained in CD-ROM for INTEL D525 Driver

- a. Windows XP_POS Ready2009 /Windows 7_32_64bit

5. The VGA interface (Intel(R) Graphics Media Accelerator 3150) is embedded with our system to support

CRT display, Panel Link (optional) and TV-Out Encoder (optional). The following illustration briefly shows

you the content of VGA driver in sub-directory \VGA\

a. Windows XP_POS Ready2009 /Windows 7_32_64bit

**** Third party trademarks or brand names are the property of their owners.****

=====
=====